




LSA-PLUS® connection module


Connection module for 8 or 10 pairs with parallel test access or overvoltage protection contact.

- Grey enclosure
- For clicking on to back-mount frames 2/8 or 2/10
- 1 set = 10 pieces
 - for 8 pairs, including 1 set of number flags 1...0
 - for 10 pairs, including 1 set of number flags 1...0
 - 1 set of number flags 10...100



LSA-PLUS connection module 2/10

Order data:	Order No.	Description	Weight/Pack	Pack
		For 8 pairs		
	6036 1 002-00	LSA-PLUS connection module 2/8 cable end up, without colour code, jumper end printed 1...8	0.480kg	1 set
		For 10 pairs		
	6089 1 002-01	LSA-PLUS connection module 2/10 jumper end printed 1...0, with colour code 1	0.600kg	1 set
	6089 1 002-02	LSA-PLUS connection module 2/10 cable end up, jumper end printed 1...0, without colour code	0.600kg	1 set
	6089 1 002-03	LSA-PLUS connection module 2/10 cable end down, with colour code 2	0.600kg	1 set
	6089 1 002-05	LSA-PLUS connection module 2/10 cable end down, jumper end printed 0...9, with colour code 2	0.600kg	1 set
	6089 1 002-06	LSA-PLUS connection module 2/10 jumper end printed 0...9	0.600kg	1 set
	6089 1 002-09	LSA-PLUS connection module 2/10 with colour code 3	0.600kg	1 set



LSA PROFIL connection module 2/10

LSA PROFIL® connection module

Connection module for 8 or 10 pairs with parallel test access or overvoltage protection contact.

Grey enclosure

Designed for universal use with:

- Profile rods
- Back-mount frames 2/8 and 2/10
- DIN rails (in conjunction with DIN rail adapter No. 6461 2 013-00).

- 1 set = 10 pieces
for 8 pairs, including 1 set of number flags 1...0
for 10 pairs, including 1 set of number flags 1...0
1 set of number flags 10...100

Order data:	Order No.	Description	Weight/Pack	Pack
		For 8 pairs		
	6036 1 004-00	LSA PROFIL connection module 2/8 printed 1...8	0.458kg	1 set
		For 10 pairs		
	6089 1 120-01	LSA PROFIL connection module 2/10 printed 1...0, with colour code 1	0.600kg	1 set
	6089 1 120-02	LSA PROFIL connection module 2/10 printed 1...0, without colour code	0.600kg	1 set
	6089 1 120-19	LSA PROFIL connection module 2/10 printed 1...0, large jumper guides	0.600kg	1 set
	6089 1 120-23	LSA PROFIL connection module 2/10 printed 1...0, without jumper guides	0.600kg	1 set



LSA-PLUS® disconnection module


Disconnection module for 8 or 10 pairs with disconnection point for opening the line. Testing possible in both directions. Use of graded protection elements also possible.

- ❑ For clicking on to back-mount frames 2/8 or 2/10
- ❑ 1 set = 10 pieces
 - for 8 pairs, including 1 set of number flags 1...0
 - for 10 pairs, including 1 set of number flags 1...0
 - 1 set of number flags 10...100



LSA-PLUS disconnection module 2/8

Order data:	Order No.	Description	Weight/Pack	Pack
		For 8 pairs		
	6036 1 102-00	LSA-PLUS disconnection module 2/8 without colour code, jumper end printed 1...8	0.480kg	1 set
		For 10 pairs		
	6089 1 102-01	LSA-PLUS disconnection module 2/10 with colour code 1	0.600kg	1 set
	6089 1 102-02	LSA-PLUS disconnection module 2/10 without colour code, jumper end printed 1...0	0.600kg	1 set
	6089 1 102-05	LSA-PLUS disconnection module 2/10 cable end down jumper end printed 0...9, with colour code 2	0.600kg	1 set
	6089 1 102-06	LSA-PLUS disconnection module 2/10 jumper end printed 0...9	0.600kg	1 set
	6089 1 102-09	LSA-PLUS disconnection module 2/10 with colour code 3	0.600kg	1 set
	6089 1 102-20	LSA-PLUS disconnection module 2/10 enclosure colour: green	0.060kg	1 piece
	6089 1 102-21	LSA-PLUS disconnection module 2/10 enclosure colour: blue	0.060kg	1 piece
	6089 1 102-23	LSA-PLUS disconnection module 2/10 enclosure colour: red	0,060kg	1 piece
	6089 1 102-03	LSA-PLUS disconnection module 2/10 enclosure colour: grey, cable end down, with colour code 2	0.600kg	1 set



LSA PROFIL disconnection module 2/8

LSA PROFIL® disconnection module

Disconnection module for 8 or 10 pairs with disconnection point for opening the line. Testing possible in both directions. Use of graded protection elements also possible.

- White enclosure

Designed for universal use with:

- Profile rods
- Back-mount frames 2/8 and 2/10
- DIN rails (in conjunction with DIN rail adapter No. 6461 2 013-00).
- set = 10 pieces
for 8 pairs, including 1 set of number flags 1...0
for 10 pairs, including 1 set of number flags 1...0
1 set of number flags 10...100

Order data:	Order No.	Description	Weight/Pack	Pack
		For 8 pairs		
	6036 1 005-00	LSA PROFIL disconnection module 2/8 jumper end printed 1...8, without colour code	0.480kg	1 set
		For 10 pairs		
	6089 1 121-01	LSA PROFIL disconnection module 2/10 printed 1...0, with colour code 1	0.600kg	1 set
	6089 1 121-02	LSA PROFIL disconnection module 2/10 printed 1...0, without colour code	0.600kg	1 set
	6089 1 121-17	LSA PROFIL disconnection module 2/10 printed 1...0, large jumper guide ring	0.600kg	1 set
	6089 1 121-30	LSA PROFIL disconnection module 2/10 printed 1...0, without jumper guide ring	0.600kg	1 set




LSA PROFIL® disconnection module 2/8-95

Disconnection module for 8 pairs with 95mm fixing dimension, printed 1...8 (can be installed together with LSA PROFIL disconnection modules 2/10 in the same bay).

Designed for universal use with:

- Profile rods
- Back-mount frame 2/10
- DIN rails (in conjunction with DIN rail adapter No. 6461 2 013-00).



Order data:	Order No.	Description	Weight/Pack	Pack
	6089 1 128-00	LSA PROFIL disconnection module 2/8-95 without jumper ring	0.600kg	10 pieces
	6089 1 128-01	LSA PROFIL disconnection module 2/8-95	0.600kg	10 pieces

LSA-PLUS® switching module


For switching up to 16 pairs with 2/8 or 20 pairs with 2/10. The overall diameter of the single wires can range from 0.7mm to 1.6mm.

- Brown enclosure
- For clicking on to back-mount frames 2/8 and 2/10
- 1 set = 10 pieces, including 1 set of number flags 1...0



LSA-PLUS switching module 2/10

Order data:	Order No.	Description	Weight/Pack	Pack
		2/8		
	6036 1 103-00	LSA-PLUS switching module 2/8 lower contact row printed 1...8	0.480kg	1 set
		2/10		
	6089 2 089-00	LSA-PLUS switching module 2/10 lower contact row printed 1...0	0.060kg	1 piece



LSA PROFIL switching module 2/10

LSA PROFIL® switching module

For switching up to 16 pairs with 2/8 or 20 pairs with 2/10.
The overall diameter of the single wires can range from 0.7mm to 1.6mm.

- Brown enclosure

Designed for universal use with:

- Profile rods
- Back-mount frames 2/8 and 2/10
- DIN rails (in conjunction with DIN rail adapter No. 6461 2 013-00).

- 1 set = 10 pieces, including 1 set of number flags 1...0


Order data:	Order No.	Description	Weight/Pack	Pack
		2/8		
	6036 1 006-00	LSA PROFIL switching module 2/8 printed 1...8	0.500kg	1 set
		2/10		
	6089 1 126-00	LSA PROFIL switching module 2/10 printed 1...0	0.570kg	10 piece



LSA-PLUS® earth module


For connecting integral earth wires to an earth contact without any soldering, use of screws or stripping of wires.

- ❑ Up to 38 integral earth wires with LSA-PLUS earth module 2/38
- ❑ Up to 30 integral earth wires with LSA-PLUS earth module 2/30
- ❑ For clicking on to back-mount frames 2/8 and 2/10



LSA-PLUS earth module 2/38

Order data:	Order No.	Description	Weight/Pack	Pack
		LSA-PLUS earth module 2/8		
	6036 2 006-00	LSA-PLUS earth module 2/30, red with earth wire, colour: red, length: approx. 250mm	0.055kg	1 piece
	6036 2 006-01	LSA-PLUS earth module 2/30, red with earth wire, colour: green/yellow, length: approx. 500mm	0.055kg	1 piece
	6036 2 006-05	LSA-PLUS earth module 2/30, red with earth wire, colour: red, length: approx. 2000mm	0.055kg	1 piece
		LSA-PLUS earth module 2/10		
	6089 2 017-00	LSA-PLUS earth module 2/38, red with earth wire and round cable lug for M4; length: 250mm, colour: red	0.070kg	1 piece
	6089 2 017-03	LSA-PLUS earth module 2/38, red with pin socket; length: 250mm, colour: green/yellow	0.072kg	1 piece
	6089 2 017-04	LSA-PLUS earth module 2/38, red with slotted prong M4; length: 500mm, colour: red	0.075kg	1 piece



LSA PROFIL earth module 2/34

LSA PROFIL® earth module 2/34

For connecting integral earth wires to an earth contact without any soldering, use of screws or stripping of wires.

Designed for universal use with:

- Profile rods
- Back-mount frames 2/8 and 2/10
- DIN rails (in conjunction with DIN rail adapter No. 6461 2 013-00).

Order data:	Order No.	Description	Weight/Pack	Pack
		LSA PROFIL earth module 2/8		
	6036 1 105-00	LSA PROFIL earth module 2/26 without jumper guides with earth wire, length 500mm, colour green/yellow, with slotted tongue for 4mm screws	0.562kg	10 pieces
	6036 2 121-00	LSA PROFIL earth module 2/26 with earth wire, length 500mm, colour green/yellow, with slotted tongue for 4mm screws	0.052kg	1 piece
		LSA PROFIL earth module 2/10		
	6089 2 108-00	LSA PROFIL earth module 2/34 without jumper guides	0.066kg	1 piece
	6089 2 108-01	LSA PROFIL earth module 2/34	0.065kg	1 piece